





# DEPURAL BOOK OF THE PROPERTY O

counter top mobile filters for drinking water at its best













# **DEPURAL® TOP**





**DEPURAL® TOP** countertop mobile filters have been designed for the direct connection to the water outlets, such as the kitchen taps. The filters come provided with a "diverter (by-pass) valve" to provide filtered water or un-filtered upon request; a complete set of adaptors make it easy to connect the filter to all type of taps. The filter can be easily connected or removed upon one's necessity, requiring a minimal space for installation. Four special rubber points at the bottom keep the filters stable and steady standing. **DEPURAL® TOP** can be used with a wide choice of **ATLAS** 

**PEPURAL® TOP** can be used with a wide choice of **ATLAS FILTRI®** cartridges to remove impurities from water (sand, rust, scales) and eliminate bad odours and tastes (chlorine), dangerous chemicals (pesticides, insecticides) and microbes, upon the cartridge choice.

**DEPURAL® TOP** filters are made of completely non-toxic materials and are suitable to the use with drinking water, in compliance with the UE "Directive 98/83/EC".

**DEPURAL® TOP CH** are manufactured with only external chrome-paint finishing: all the filter parts to be in contact with water are NOT CHROMIUM TREATED to ensure the COMPLETE SAFETY OF THE DRINKING WATER.







MATERIALS SPECIFICATIONS
Heads: polypropylene.
Chrome bowl: ABS.
White bowl: SAN.
Transparent bowl: SAN.
O-ring: ETP.











DEPURALTOP DUO CH - DVB



DEPURAL TOP DUO TS - DVB



DEPURALTOP TRIO BW - DVB



**DEPURAL TOP TRIO CH - DVB** 



DEPURAL TOP TRIO TS - DVB


### spare parts





brass male junction 1/4" for DEPURAL TOP DUO and TRIO

## spare parts for DEPURAL TOP DVB connection kit




### variants

### **DEPURAL TOP ECO**



### spare parts for DEPURAL TOP ECO connection kit





A wide range of ATLAS FILTRI® cartridges is applicable to DEPURAL® TOP filters and get rid from impurities, bad taste and odour, pollutants an microbes upon the cartridge choice and combination.

**DEPURAL® TOP** filters fit to standard SX (DOE) cartridges and to exclusive BX quick-fit cartridges with double o-ring





### FA and CPP 5-10-25 micron

SEDIMENT. Melt-blown polypropylene grooved (PP) or smooth (CPP) filter: high efficiency filtration of fine particles, rust, lime, sand, scales. Life-span: 3-6 months.





### LA

CARBON G.A.C. Container with Granular Activated Carbon. Reduction of chlorine (bad tastes, odours) and chloride pollutants (pesticides, solvents, etc). Life-span: 3 months.



### BT PP LA 5 micron

SEDIMENT G.A.C. Melt-blown polypropylene filter and Granular Activated Carbon. Filtration of fine particles, rust, lime, sand, scales; reduction of chlorine (bad tastes, odours) and chloride pollutants (pesticides, solvents, etc). Life-span: 3 months.









CARBON BLOCK. Filtration of fine particles (rust, lime, sand, scales); reduction of chlorine (bad tastes, odours) and chloride pollutants (pesticides, solvents, etc). Life-span: 3-6 months.









CERAMIC. Filtration of very fine particles and some micro-organisms. Life-span: 6-12 months. Maintenance: surface scraping every 2-3





### CA-SE 0,3 micron

CARBON BLOCK. Filtration of very fine particles and some micro-organisms; reduction of chlorine (bad tastes, odours) and chloride pollutants (pesticides, solvents, etc). Life-span: 6-12 months. Maintenance: surface scraping every 2-3 months.











### CA-SE HF 0,15 micron

CARBON BLOCK, Microfiltration with "hollow-fibre" capillary membranes (STER-O-TAP®) of very fine particles and some micro-organisms; reduction of chlorine (bad tastes, odours) and chloride pollutants (pesticides, solvents, etc). Life-span: 6 months. Maintenance: surface scraping every 2-3 months.









### CA-SE HF 0,02 micron

CARBON BLOCK. Ultra-filtration with "hollow-fibre" capillary membranes (STER-O-TAP®) of very fine particles and micro-organisms; reduction of chlorine (bad tastes, odours) and chloride pollutants (pestici-

 $\mathfrak{P} \cap \mathscr{R}$ 

des, solvents, etc.). Life-span: 6 months. Maintenance: surface scraping every 2-3 months.





Container with strong anionic resin; reduction of Nitrates below the concentration recommended by WHO (10 mg/l) within the working limits. Life-span: variable.



DEPURAL® TOP filters fit to MATRIKX® carbon block cartridges and PLEKX® composite web cartridges, distributed in Italy and Europe by ATLAS FILTRI srl. MATRIKX, PLEKX, CTO, MATRIKX + CTO, the MATRIKX Extruded Carbon seal and the PLEKX Composite Web seal are registered trademarks of KX Technologies LLC, USA.





















Chlorine, bad taste and odour



Pesticides. insecticides, sovents, organic compunds



Micro-organisms: Protozoans (Giardia Cryptosporidium)



Micro-organisms: Bacteria (Micro-Filtration)



Micro-organisms: Bacteria, Viruses (Ultra-Filtration)



**Heavy Metals** (Lead, Mercury, Chromium, etc.)



Nitrates

